



HARRY GWALA DISTRICT MUNICIPALITY

"Together We Deliver and Grow"

OFFICE OF THE MUNICIPAL MANAGER

40 Main Street, Private Bag X501, IXOPO 3276

Tel: (039) 834 8700 Fax: (039) 834 1701

Email: jilin@harrygwaladm.gov.za

ADVERTISEMENT

REQUEST FOR FORMAL WRITTEN PRICE QUOTATIONS

SUPPLY AND DELIVERY OF EQUIPMENT AND CONSUMABLES FOR A CHEMICAL TESTING LABORATORY

Contract No: HGDM 725/HGDM/2021

Proposals are hereby invited from reputable, suitable qualified, experienced and Accredited Service Providers for the supply and delivery of equipment and consumables for a chemical testing laboratory for Harry Gwala District Municipality.

SPECIFICATION

The Service Provider should supply and deliver following items:

| Item | Chemical Laboratory | Qty |
|------|---|-----|
| 1 | eeKTO:TL2300 LAB Turbimeter,EPA,EU,0-4000NTU | 1 |
| 2 | HQ440d Benchtop Meter, Multi | 1 |
| 3 | pH Gel probe, STD, w/1m cable | 1 |
| 4 | ee Conductivity probe STD, w/1m cable | 1 |
| 5 | Test kit,CN-66 CL ₂ free and total | 1 |
| 6 | Pipets 50ml | 2 |
| 7 | Pipets 25ml | 2 |
| 8 | Funnels | 2 |
| 9 | Lab wash bottles | 2 |
| 10 | Graduated cylinder 10ml | 3 |
| 11 | Graduated cylinder 25ml | 3 |
| 12 | Beaker 250ml | 6 |

BN

| | | |
|----|---------------------------------|---|
| 13 | Beaker 1000ML | 6 |
| 14 | Thermometer | 2 |
| 15 | Water distillation unit | 1 |
| 16 | Conductivity solution 1412 Us/m | 1 |
| 17 | Buffer kit solution 500ml | 1 |
| 18 | DPD free chlorine PP pk/100 | 1 |
| 19 | DPD total chlorine PP pk/100 | 1 |
| 20 | Test tubes(12x100) | 3 |
| 21 | Test tubes(12x150) | 3 |
| 22 | Spatula | 2 |
| 23 | Safety goggles | 4 |
| 24 | Lab coat medium | 2 |
| 25 | Lab coat large | 2 |
| 26 | Gloves medium box/100 | 1 |
| 27 | Gloves large box/100 | 1 |
| 28 | Portable test kit | 5 |
| 29 | Paper towels | 2 |
| 30 | Weigh balance | 2 |

Invalid or non-submission of the following documents will lead to Immediate disqualification of the tender:

- Valid tax clearance certificate or SARS pin.
- Central Supplier Database Registration

The following conditions will apply:

- Prices quoted must be firm and must be inclusive of VAT (if applicable).
- All quotations submitted shall be valid for 30 days after the tender closing date
- A signed MBD4 form must be submitted with a price written quotation (available on our website and reception)
- A valid original or a certified copy of a B-BBEE status level verification certificate must be submitted to claim preference points.
- 80/20 Preference points system will be used in Evaluation.
- Your company must be registered on municipal database and central supplier database.

AW

CLOSING DATE

The closing date for the bidders is on 31 March 2021 at 12h00. Quotations must be enclosed in **SEALED ENVELOPES** and clearly labelled with the project name **"Supply and delivery of equipment and consumables for a chemical testing laboratory"** on the outside of the envelopes addressed to **The Municipal Manager**.

Bids must be deposited in the Bid Box at the reception area of Harry Gwala District Municipality, 40 Main Street, Ixopo, before the closing date and time. Telegraphic, telexed or faxed bids will not be considered and late bids will not be accepted.

Harry Gwala District Municipality does not bind itself to accept the lowest or any Bid and reserves the right to accept the whole or any part of the Bid.

BID ENQUIRIES

All tender enquiries and all other matters shall be directed in writing to **Mr. D Gqiba** on 039 834 3939 during working hours

Mrs A.N Dlamini
Municipal Manager

